



Voluntary Product Accessibility Template (VPAT) Review Checklist

RE: IMPACT Section 508 - Tips & Resources

A **VPAT** provides information on how a product or service claims to conform to the Section 508 Access Board Accessibility Standards for Electronic and Information Technology (E&I T). The criteria by which **IMPACT** reviews VPATs presented by vendors are exactly the same as those that are suggested by Information Technology Industry Council (ITI) in their VPAT Best Practices. **

Date: _____ **VPAT Accepted: YES** **NO**

Product Name: _____

Product Version Number: _____

Vendor Company Name: _____

Vendor Contact Name: _____

Vendor Contact Telephone: _____

VPAT Reviewer: _____

Purchase or Change Control Board (CCB) Number (if available): _____

QUESTIONS

1. YES NO

Is the VPAT Date included?

2. YES NO

Is the product identified by Name and Version Number?

3. YES NO

Is Contact (POC) Information readily available?

4. YES NO

Is there a Summary Table (or snapshot equivalent) that shows the subsections of subparts B, C and D of the Section 508 Standards and identifies those that apply?

5. YES NO

Are there Detail Tables that contain the actual Section 508 language of the referenced subsection, divided up into its respective subparagraphs (a, b, c, d etc.) for each subpart that does apply?

6. YES NO

Is the Suggested Language [*See Appendix A below*] used to fill out the VPAT and is there consistent usage throughout?

7. YES NO

Are all Tables in the suggested three-column format?

8. YES NO

Are the Table columns Used and Organized as suggested?

for Summary Table

8.1. YES NO

Does **Column I** (Criteria) of the **Summary Table** describe the subsections?

8.2. YES NO

Does **Column 2** (Supporting Features) of the **Summary Table** describe whether the product has features that support the accessibility Criteria of the corresponding subsection, or, state “Not Applicable”?

8.3. YES NO

Does **Column 3** (Remarks & Explanations) of the **Summary Table** contain additional *General* remarks about the product?

for Detail Tables

8.4. YES **NO**

Does **Column 1** (Criteria) of the **Detail Tables** contain the lettered paragraphs of the respective subsection?

8.5. YES **NO**

Does **Column 2** (Supporting Features) of the **Detail Tables** describe whether the product has features that support the accessibility Criteria of the corresponding subparagraph, or, state "Not Applicable"?

8.6. YES **NO**

Does **Column 3** (Remarks & Explanations) of the **Detail Tables** contain additional *Detailed* remarks and explanations about the product?

8.6.1. YES **NO** **NOT APPLICABLE**

Does the vendor list additional Accessibility Features or how it does not comply with Section 508?

8.6.2. YES **NO** **NOT APPLICABLE**

Does the vendor explain in detail where in the product an Exception occurs (if applies)?

8.6.3. YES **NO** **NOT APPLICABLE**

Does the vendor explain Equivalent Methods of Facilitation (if applies)? (Definition of "equivalent facilitation" See 36 CFR 1194.5.)?

APPENDIX A (of the DoS GPAT Checklist)

Suggested Language for Filling out the G PAT

In order to simplify the task of conducting market research assessments for procurement officials or customers, ITIC (Information Technology Industry Council) has developed suggested language for use when filling out a VPAT/GPAT. You may choose to employ all or some of the language below. Once you determine what language you intend to use, we recommend that use is consistent throughout all of your GPATs.

Supporting Features (Column 2 on GPAT)

Supports

Use this language when you determine the product fully meets the letter and intent of the Criteria.

Supports with Exceptions

Use this language when you determine the product does not fully meet the letter and intent of the Criteria, but provides some level of access relative to the Criteria.

Supports through Equivalent Facilitation

Use this language when you have identified an alternate way to meet the intent of the Criteria or when the product does not fully meet the intent of the Criteria.

Supports when combined with Compatible AT

Use this language when you determine the product fully meets the letter and intent of the Criteria when used in combination with Compatible AT. For example, many software programs can provide speech output when combined with a compatible screen reader (commonly used assistive technology for people who are blind).

Does not Support

Use this language when you determine the product does not meet the letter or intent of the Criteria.

Not Applicable

Use this language when you determine that the Criteria do not apply to the specific product.

Not Applicable - Fundamental Alteration Exception Applies

Use this language when you determine a Fundamental Alteration of the product would be required to meet the Criteria (see the access board standards for the definition of "fundamental alteration").

IMPACT Outreach Center

IRM Program for Accessible Computer/Communication Technology (IMPACT)

(IRM/BPC/BC/SAS)

2121 Virginia Ave, N.W. (SA-3), Suite 4170

Washington, DC 20520

Email: SECTION508@state.gov

Voice: (202) 663-0221

TTY: (202) 663-0084

Internet: <http://www.state.gov/m/irm/impact/index.htm>

Intranet: <http://impact.state.gov>

**** ITIC V PAT Best Practices (<http://www.itic.org/reports/508/Sec508.html>)**